

Дыхательные аппараты на сжатом воздухе RN/BN, RN/A

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: beg@nt-rt.ru || сайт: <https://bartelsrieger.nt-rt.ru>



Compressed air breathing apparatus RN/BN FR Type 2

Product number: 139029

Compressed air breathing apparatus in accordance with EN 137:2006, with ESA plug connection in accordance with DIN 58600, without compressed air cylinder. The compressed air breathing apparatus consists of:

Lightweight plastic back plate, antistatic, with integrated carrying handle, universal bottle strap and adjustable, padded and flame-resistant harness with quick release fastener, pressure reducer, high-pressure manometer, overpressure lung demand valve with ESA plug connection according to DIN 58600 and integrated warning device as well as full face mask TR 2002 BN FR.

Product details:

- panoramic mask for overpressure with wide field of vision
- Regulator with patented acoustic warning device
- Adjustable and padded strap that improves comfort and allows for longer use of the set
- Ergonomic back plate that comfortably distributes the weight and keeps the SCBA stable on the user's back
- Bottle anchor with new locking mechanism and retroreflective tape
- Luminescent pressure gauge with scale also in PSI, up to 360 bar and with colored outlet range between 50 and 0 bar
- Piston pressure reducer whose output pressure remains constant while the bottle pressure drops
- Valve handle that prevents accidental opening or closing of the bottle

» **Warning device in the regulator**

» **Available with overpressure connection M 45x3 or ESA plug connection**



Compressed air breather RN/BN Type 1

Product number: 201293

According to EN 137:2006, with ESA plug connection according to DIN 58600, without compressed air bottle.

Consisting of:

Lightweight plastic back plate, antistatic, with integrated carrying handle, universal bottle strap and adjustable, padded strap with quick release fastener, pressure reducer, high pressure gauge, overpressure lung demand valve with ESA plug connection in accordance with DIN 58600 and integrated warning device, full face mask TR 2002 BN in accordance with EN 136 cl. 3, with ESA plug connection in accordance with DIN 58600, scratch-resistant and solvent-resistant full-view window. Without compressed air bottle

Product details:

- panoramic mask for overpressure with wide field of vision
- Regulator with patented acoustic warning device
- Adjustable and padded strap that improves comfort and allows for longer use of the set
- Ergonomic back plate that comfortably distributes the weight and keeps the SCBA stable on the user's back
- Bottle anchor with new locking mechanism and retroreflective tape
- Luminescent pressure gauge with scale also in PSI, up to 360 bar and with colored outlet range between 50 and 0 bar
- Piston pressure reducer whose output pressure remains constant while the bottle pressure drops
- Valve handle that prevents accidental opening or closing of the bottle

» **Warning device in the regulator**

» **Available with overpressure connection M 45x3 or ESA plug connection**



Compressed air breathing apparatus RN/A FR Type 2

Product number: 201294

According to EN 137:2006, with threaded connection M 45x3 according to EN 148-3, without compressed air bottle.

Consisting of:

Lightweight plastic back plate, antistatic, with integrated carrying handle, universal bottle strap and adjustable, padded and flame-resistant harness with quick-release fastener, pressure reducer, high-pressure manometer, overpressure lung demand valve with threaded connection M 45x3 in accordance with EN 148-3 and integrated warning device, full face mask TR 2002 A FR in accordance with EN 136 cl. 3+, with threaded connection M 45x3 in accordance with EN 148-3, scratch-resistant and solvent-resistant full-view visor, harness made of neoprene and flame-resistant carrying strap. Without compressed air bottle.

Product details:

- panoramic mask for overpressure with wide field of vision
- Regulator with patented acoustic warning device
- Adjustable and padded strap that improves comfort and allows for longer use of the set
- Ergonomic back plate that comfortably distributes the weight and keeps the SCBA stable on the user's back
- Bottle anchor with new locking mechanism and retroreflective tape
- Luminescent pressure gauge with scale also in PSI, up to 360 bar and with colored outlet range between 50 and 0 bar
- Piston pressure reducer whose output pressure remains constant while the bottle pressure drops
- Valve handle that prevents accidental opening or closing of the bottle

» **Warning device in the regulator**

» **Available with overpressure connection M 45x3 or ESA plug connection**



Compressed air breathing apparatus RN/A FR Type 1

Product number: 201295

According to EN 137:2006, with threaded connection M 45x3 according to EN 148-3, without compressed air bottle.

Consisting of:

Lightweight plastic back plate, antistatic, with integrated carrying handle, universal bottle strap and adjustable, padded harness with quick-release fastener, pressure reducer, high-pressure manometer, overpressure lung demand valve with threaded connection M 45x3 in accordance with EN 148-3 and integrated warning device, overpressure full mask TR 82 A in accordance with EN 136 Class 3, with threaded connection M 45x3 in accordance with EN 148-3 and scratch-proof, solvent-resistant visor. Without compressed air bottle.

Product details:

- panoramic mask for overpressure with wide field of vision
- Regulator with patented acoustic warning device
- Adjustable and padded strap that improves comfort and allows for longer use of the set
- Ergonomic back plate that comfortably distributes the weight and keeps the SCBA stable on the user's back
- Bottle anchor with new locking mechanism and retroreflective tape
- Luminescent pressure gauge with scale also in PSI, up to 360 bar and with colored outlet range between 50 and 0 bar
- Piston pressure reducer whose output pressure remains constant while the bottle pressure drops
- Valve handle that prevents accidental opening or closing of the bottle

» **Warning device in the regulator**

» **Available with overpressure connection M 45x3 or ESA plug connection**

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: beg@nt-rt.ru || сайт: <https://bartelsrieger.nt-rt.ru>